Irodalom

[1] K. Aboudolas, M. Papageorgiou, A. Kouvelas, and E. Kosmatopoulos. A rolling-horizon quadratic-programming approach to the signal control problem in large-scale congested urban road networks. *Transportation Research Part C: Emerging Technologies*, 18(5):680 – 694, 2010. Applications of Advanced Technologies in Transportation: Selected papers from the 10th AATT Conference.

[2] T. Abrahamsson. Estimation of origin-destination matrices using traffic counts – a literature survey. 1998.

[3] G. Abu-Lebdeh and R. F. Benekohal. Development of traffic control and queue management procedure for over-saturated arterials. *Transportation Research Record 1603, TRB*, pages 119–127, 1997. Washington, DC.

[4] R. Allsop. SIGSET: A computer program for calculating traffic capacity of signal-controlled road junctions. *Traffic Eng. Control*, 12:58–60, 1971.

[5] R. Allsop. SIGCAP: A computer program for assessing the traffic capacity of signal-controlled road junctions. *Traffic Eng. Control*, 17:338–341, 1976.

[6] A. Aw and M. Rascle. Resurrection of "second order" models of traffic flow. *SIAM Journal of Applied Mathematics*, 60(3):916–938, 2000.

[7] M. Bando, K. Hasebe, A. Nakayama, A. Shibata, and Y. Sugiyama. Dynamical model of traffic congestion and numerical simulation. *Phys. Rev. E*, 51:1035–1042, 1995.

[8] A-L. Barabási. *Villanások – a jövő kiszámítható*. Nyitott Könyvműhely, 2010. ISBN 9 789 633 100 14 1.

[9] G. K. Batchelor. *An introduction to fluid dynamics*. Cambridge University Press, 1973.

[10] M. Beckmann, C. B. McGuire, and C. Winsten. *Studies in the economics of transportation*. Yale University Press, New Haven, Connecticut, 1956.

[11] M. Bell. Log-linear models for the estimation of origin-destination matrices from traffic counts. In *Ninth International Symposium on Transportation and Traffic Theory*, Delft, 1984.

[12] T. Bellemans, B. De Schutter, and B. De Moor. Anticipative model predictive control for ramp metering in freeway networks. *Proceedings of the 2003 American Control Conference, Denver, Colorado*, pages 4007–4082, 2003.

[13] D. P. Bertsekas and J. N. Tsitsiklis. *Parallel and distributed computation: Numerical methods*. Prentice-Hall, http://web.mit.edu/dimitrib/www/books.htm, 1997. ISBN 1 886 529 01 9.

[14] M. Bierlaire and Ph. L. Toint. An origin destination matrix that exploits the structure. Technical report, Research report, Transportation Research Group, Department of Mathematics, Na-mur, Belgium, 1994.

[15] S. Blandin, D. Work, P. Goatin, B. Piccoli, and A. Bayen. A general phase transition model for vehicular traffic. *SIAM Journal of Applied Mathematics*, in press, to appear, 2011.

[16] J. Bokor and P. Gáspár. *Irányítástechnika járműdinamikai alkalmazásokkal*. Typotex, 2008.

[17] S. Boyd, L. El Ghaoui, E. Feron, and V. Balakrishnan. *Linear Matrix Inequalities in System and Control Theory*. SIAM Studies in Applied Mathematics. SIAM, 1994.

[18] S. Boyd and L. Vandenberghe. *Convex optimization*. Cambridge University Press, 2004. ISBN 0 521 83378 7.

[19] F. Busch. Traffic telematics in urban and regional environments. In *Intertraffic Conference*, Amsterdam, 1996.

[20] C. R. Carlson, I. Papamichail, M. Papageorgiou, and A. Messmer. Optimal mainstream traffic flow control of large-scale motorway networks. *Transportation Research Part C*, 18:193–212, 2010.

[21] R. E. Chandler, R. Herman, and E. W. Montroll. Traffic dynamics: studies in car following. *Operations Research*, 6:165–184, 1958.

[22] B. M. Chard and C. J. Lines. TRANSYT – the latest developments. *Traffic Engineering and Control*, pages 387–390, 1987.

[23] R. Courant, K. Friedrichs, and H. Lewy. Uber die partiellen Differenzengleichungen der mathematischen Physik. *Mathematische Annalen*, 100(1):32–74, 1928.

[24] M. Cremer. *Der Verkehrsfluss auf Schnellstrassen (Traffic flow on freeways)*, volume 3 of *Fachberichte Messen, Steuern, Regeln*. Springer-Verlag, Berlin, 1979.

[25] M. Cremer and H. Keller. Dynamic identification of flows from traffic counts at complex intersections. In *Symposium on Transportation and Traffic Theory*, pages 199–209. University of Toronto Press, Toronto, Canada, 1981.

[26] M. Cremer and H. Keller. Systems dynamics approach to the estimation of entry and exit O-D flows. In *Ninth International Symposium on Transportation and Traffic Theory*, pages 431–450, Utreccht, The Nederlands, 1984.

[27] M. Cremer and H. Keller. A new class of dynamic methods for the identification of origin-destination flows. *Transportation Research B*, 21(2):117–132, 1987.

[28] M. Cremer and M. Papageorgiou. Parameter Identification for a Traffic Flow Model. *Automatica*, 17(6):837–843, 1981.

[29] L. Czách and L. Simon. *Parciális differenciálegyenletek*. Tankönyvkiadó, Budapest, 1980.

[30] C. F . Daganzo. The cell transmission model: A dynamic representation of highway traffic consistent with the hydrodynamic theory. *Transportation Research Part B*, 28B(4):269–287, 1994.

[31] C. F. Daganzo. Requiem for second-order fluid approximations of traffic flow. *Transportation Research Part B*, 29B(4):277–286, 1995.

[32] C. F. Daganzo. *Fundamentals of Transportation and Traffic Operations*. Pergamon-Elsevier, Oxford, U.K, 1997.

[33] A. P. Davol. Modeling of traffic signal control and transit signal priority strategies in a microscopic simulation laboratory. Master's thesis, MIT, 2001.

[34] L. B. de Oliveira and E. Camponogara. Multi-agent model predictive control of signaling split in urban traffic networks. *Transportation Research Part C: Emerging Technologies*, 18(1):120–139, 2010. Information/Communication Technologies and Travel Behaviour; Agents in Traffic and Transportation.

[35] J. M. del Castillo, M. Pintado, and F. G. Benitez. A formulation for the Reaction Time of Traffic Flow Models. *Transportation Research Part B*, 28(1):35–60, 1994.

[36] C. Diakaki, M. Papageorgiou, and K. Aboudolas. Traffic-responsive urban network control using multivariable regulators. In *International Conference on Modeling and Management in Transportation*, volume 2, pages 11–16, Poznan/Cracow, 1999.

[37] C. Diakaki, M. Papageorgiou, and T. McLean. Application and evaluation of the integrated traffic-responsive urban corridor control strategy IN-tTUC in Glasgow. In *CD-ROM of the 78th Annual Meeting of the Transportation Research Board*, number 990310, Washington, D.C., U.S.A., 1999.

[38] V. Dinopoulou, C. Diakaki, and M. Papageorgiou. Applications of the urban traffic control strategy TUC. *European Journal of Operational Research*, 175:1652–1665, 2006.

[39] J. Dios Ortúzar and L. G. Willumsen. *Modelling Transport*. Wiley, 2001.

[40] J. L. Farges, I. Khoudour, and J. B. Lesort. PRODYN: on site evaluation. In *Road Traffic Control, 1990., Third International Conference on*, pages 62 –66, May 1990.

[41] C. S. Fisk. On combining maximum entropy trip matrix estimation with user optimal assignment. *Transportation Research Part B: Methodological*, 22(1):69 – 73, 1988.

[42] C. S. Fisk. Trip matrix estimation from link traffic counts: The congested network case. *Transportation Research Part B: Methodological*, 23(5):331–336, 1989.

[43] M. Florian and D. W. Hearn. Traffic assignment: equilibrium models. *Journal of Systems and Control Engineering*, 215:305–315, 2001.

[44] T. W. Forbes. Human factor considerations in traffic flow theory. *Highway Research Record*, 15:60–66, 1963.

[45] N. H. Gartner. OPAC: A demand-responsive strategy for traffic signal control. *Trans. Res. Rec.*, 906:75–81, 1983.

[46] N. H. Gartner and P. Wagner. Analysis of traffic flow characteristics on signalized arterials. *Transportation Research Record: Journal of the TRB*, 1883:94–100, 2004.

[47] D. C. Gazis. *Traffic Theory*. Kluwer Academic, 2002.

[48] D. C. Gazis, R. Herman, and R.B. Potts. Car-following theory of steady-state traffic flow. *Operations Research*, 7:499–505, 1959.

[49] D. C. Gazis, R. Herman, and R.W. Rothery. Nonlinear follow-the-leader models of traffic flow. *Operations Research*, 9:545–567, 1961.

[50] D. C. Gazis and R.B. Potts. The oversaturated intersection. In *Proceedings of the 2nd International Symposium on Traffic Theory*, pages 221–237, London, UK, 1963.

[51] N. Geroliminis and C. F. Daganzo. Existence of urban-scale macroscopic fundamental diagrams: Some experimental findings. *Transportation Research Part B: Methodological*, 42(9):759 – 770, 2008.

[52] L. El Ghaoui, F. Oustry, and H. Lebret. Robust solutions to uncertain semidefinite programs. *SIAM Journal on Optimization*, 9(1):33–52, 1998.

[53] G. Gomes, R. Horowitz, A. A. Kurzhanskiy, P. Varaiya, and J. Kwon. Behavior of the cell transmission model and effectiveness of ramp metering. *Transportation Research Part C*, 16:485–513, 2008.

[54] H. Greenberg. An analysis of traffic flow. *Operations Research*, 7:79–85, 1959.

[55] B. D. Greenshields. A study of traffic capacity. In *Proceedings of the Highway Research Board*, volume 14, pages 448–477, 1935.

[56] R. Haberman. *Mathematical Models – Mechanical Vibrations, Population Dynamics adn Traffic Flow*. SIAM, Philadelphia, 1998.

[57] A. Hegyi. *Model Predictive Control for Integrating Traffic Control Measures*. PhD thesis T2004/2, TRAIL Thesis Series, Delft University Press, 2004.

[58] A. Hegyi, B. De Schutter, and H. Hellendoorn. Model predictive control for optimal coordination of ramp metering and variable speed limits. *Transportation Research Part C*, 13(3):185–209, 2005.

[59] A. Hegyi, D. Girimonte, R. Babuska, and B. De Schutter. A comparison of filter configurations for freeway traffic state estimation. In *Proceedings of the 2006 IEEE Intelligent Transportation Systems Conference (ITSC 2006)*, pages 1029–1034, Toronto, Canada, September 2006.

[60] A. Hegyi and S. P. Hoogendoorn. Dynamic speed limit control to resolve shock waves on freeways – field test results of the SPECIALIST algorithm. In *Proceedings of the 13th International IEEE Conference on Intelligent Transportation Systems (ITSC)*, pages 519 – 524, Funchal, Portugal, September 2010.

[61] A. Hegyi, S. P. Hoogendoorn, M. Schreuder, H. Stoelhorst, and F. Viti. SPECIALIST: A dynamic speed limits control algorithm based on shock wave theory. In *Proceedings of the 11th International IEEE Conference on Intelligent Transportation Systems*, pages 827–832a, Beijing, China, October 2008.

[62] A. Hegyi, S. P. Hoogendorn, M. Schrueder, and H. Stoelhorst. The expected effectivity of the dynamic speed limit algorithm SPECIALIST – a field data evaluation method. *Proceedings of the European Control Conference*, 1:1770–1775, 2009.

[63] D. Helbing. Gas-kinetic derivation of navier-stokes-like traffic equations. *Phys. Rev. E*, 53:2266–2381, 1996.

[64] R. Herman, E. W. Montroll, R. Potts, and R. W. Rothery. Traffic dynamics: analysis of stability in car-following. *Ops. Res.*, 1(7):86–106, 1959.

[65] E. N. Holland. A generalized stability criterion for motorway traffic. *Transportation Research Part B*, 32:141–154, 1998.

[66] S. P. Hoogendorn. *Multiclass continuum modelling of multiclass traffic flow*. PhD thesis T99/5, TRAIL Thesis Series, Delft University Press, 1999.

[67] S. P. Hoogendorn and P. H. L. Bovy. State-of-the-art of vehicular traffic flow modeling. *Proceedings of the Institution of Mechanical Engineerring - Part I: Systems and Control Engineering*, 215(I4):283–304, 2001.

[68] B. Hunt, D. L. Robertson, and R. D. Bretherton. The SCOOT on-line traffic signal optimization technique. *Traffic Eng. Control*, 23:190–192, 1982.

[69] G. Improta and G. E. Cantarella. Control system design for an individual signalized junction. *Transportation Research Part B: Methodological*, 18(2):147 – 167, 1984.

[70] R. E. Kalman. A new approach to linear filtering and prediction. *Journal of Basic Engineering (ASME)*, 82(D):35–45, 1960.

[71] L. A. Klein, M. K. Mills, and D. R. P. Gibson. *Traffic Detector Handbook*, volume I. U.S. Dept. of Transportation. Federal Highway Administration, third edition, 2006.

[72] F. H. Knight. Some fallacies in the interpretation of social cost. *Quarterly Journal of Economics*, 38(4):582–606, 1924.

[73] W. H. Know, A. M. Buckstein, and T. Kailath. Stabilizing state-feedback design via the moving horizon method. *International Journal of Control*, 37:631–643, 1983.

[74] E. Kometani and T. Sasaki. On the stability of traffic flow. *J. Oper. Res. Soc. Jap.*, 2:11–26, 1958.

[75] F. Konecsny and E. Pásztor. *Műszaki hő- és áramlástan I/1*. Műegyetemi Kiadó, 2002.

[76] M. Koshi, M. Iwasaki, and I. Ohkura. Some findings and an overview on vehicular flow characteristics. In *Proc. 8th Intl. Symp. on Transportation and Traffic Flow Theory*, pages 403–426, 1983.

[77] M. Kothare, V. Balakrishnan, and M. Morari. Robust constrained model predictive control using linear matrix inequalities. *Automatica*, 32(10):1361–1379, 1996.

[78] A. Kotsialos and M. Papageorgiou. Nonlinear Optimal Control Applied to Coordinated Ramp Metering. *IEEE Transactions on Control System Technology*, 12(6):920–933, 2004.

[79] W. Kraus, F. A. de Souza, R. C. Carlson, M. Papageorgiou, L. D. Dantas, E. Camponogara, E. Kosmatopoulos, and K. Aboudolas. Cost effective real-time traffic signal control using the TUC strategy. *Intelligent Transportation Systems Magazine, IEEE*, 2:6–17, 2010.

[80] É. Kövesné Gilicze. *Közúti áramlatok elemzése és modellezése*. Tankönyvkiadó, Budapest, 1975.

[81] H. Kwakernaak and R. Sivan. *Linear Optimal Control Systems*. Number ISBN 13: 9 780 471 511 10 6. New York: Wiley-interscience, 1972.

[82] P. Lancaster and L. Rodman. *Algebraic Riccati equations*. Number ISBN 0 198 537 95 6. Oxford University Press, 1995.

[83] A. H. Land and A. G. Doig. An automatic method of solving discrete programming problems. *Econometrica*, 28:497–520, 1960.

[84] B. Lantos. *Irányítási rendszerek elmélete és tervezése I-II.* Akadémiai Kiadó, 2001, 2003.

[85] W. Leutzbach. *An Introduction to the Theory of Traffic Flow*. Springer-Verlag, Berlin, 1988.

[86] J. Löfberg. *Minimax approaches to robust model predictive control*. PhD thesis, Linköping University, Linköping, Sweden, 2003.

[87] M. T. Li and A. C. Gan. Signal timing optimization for oversaturated networks using TRANSYT-7F. In *78th Annu. Meeting Transportation Research Board*, 1999.

[88] M. J. Lighthill and G. B. Whitham. On kinematic waves ii. a theory of traffic flow on long crowded roads. *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, 229:317–345, 1955.

[89] J. D. C. Little. The synchronization of traffic signals by mixed integer linear programming. *Operational Research*, 14:568–594, 1966.

[90] P. R. Lowrie. The sydney coordinated adaptive traffic system – principles, methodology, algorithms. In *International Conference on Road Traffic Signaling*, pages 67–70, 1982.

[91] J. M. Maciejowski. *Predictive Control with Constraints*. Prentice Hall, Harlow, UK, 2002.

[92] M. J. Maher. Interferences on trip matrices from observations on link volumes: a bayesian statistical approach. *Transportation Research*, 17, 1983.

[93] D. P. Masher, D. W. Ross, P. J. Wong, P. L. Tuan, P. L. Zeidler, and S. Peracek. Guidelines for design and operating of ramp control systems. *SRI, Menid Park, CA, Standford Res. Inst. Rep. NCHRP 3-22, SRI Project 3340*, 1975.

[94] V. Mauro and C. Di Taranto. UTOPIA. In *Proceedings of the sixth IFAC/IFIP/IFORS symposium on control, computers, communications on transportation, Paris*, pages 245–252, 1989.

[95] D. Q. Mayne, J. B. Rawlings, C. V. Rao, and P. O. M. Scokaert. Constrained model predictive control: Stability and optimality. *Automatica*, 36(6):789–814, 2000.

[96] L. Mihaylova, R. Boel, and A. Hegyi. Freeway traffic estimation within particle filtering framework. *Automatica*, 43:290–300, 2007.

[97] J. Miller. A computer control system for traffic networks. In *2nd Intern. Symposium on Traffic Theory*, pages 200–220, 1963.

[98] K. Nagel and M. Schreckenberg. A cellular automaton model for freeway traffic. *J. Phys. I France 2*, pages 2221–2229, 1992.

[99] N. Nahi and A. Trivedi. Recursive estimation of traffic variables: Section density and average speed. *Transportation Science*, 7(3):269–286, 1973.

[100] J. Nash. Equilibrium points in n-person games. In *Proceedings of the National Academy of Sciences*, volume 36, pages 48–49, 1950.

[101] G. F. Newell. Nonlinear effects in the dynamics of car following. *Operations Research*, 9:209–229, 1961.

[102] G. F. Newell. Instability in dense highway traffic, a review. In J. Almond, editor, *Proceedings of 2nd International Symposium on the Theory of Road Traffic Flow*, pages 73–83, 1965.

[103] N. L. Nihan and G. A. Davis. Recursive estimation of O-D matrices from input/output counts. *Transportation Research B*, 21(2):149–163, 1987.

[104] N. L. Nihan and G. A. Davis. Application of prediction-error minimization and maximum likelihood to estimate intersection O-D matrices from traffic counts. *Transportation Science*, 23(2):77–90, 1989.

[105] G. Orosz, J. Moehlis, and F. Bullo. Robotic reactions: delay-induced patterns in autonomous vehicle systems. *Phys. Rev. E*, 81:025204, 2010.

[106] G. Orosz and G. Stépán. Subcritical Hopf bifurcations in a car-following model with reactiontime delay. *Proceedings of the Royal Society A*, (462):2643–2670, 2006.

[107] G. Orosz, R. E. Wilson, and G. Stépán. Traffic jams: dynamics and control. *Philosophical Transactions of the Royal Society A*, (368):4455–4479, 2010.

[108] G. Orosz, R. E. Wilson, R. Szalai, and G. Stépán. Exciting traffic jams: nonlinear phenomena behind traffic jam formation on highways. *Phys. Rev. E*, 80:046205, 2009.

[109] M. Papageorgiou. *Applications of Automatic Control Concepts to Traffic Modeling and Control*. Springer-Verlag, New York, 1983.

[110] M. Papageorgiou. Freeway Ramp Metering: An Overview. *IEEE Transactions on Intelligent Transportation Systems*, 3(4):271–281, 2002.

[111] M. Papageorgiou, J. M. Blosseville, and H. Hadj-Salem. Modelling and real-time control of traffic flow on the southern part of Boulevard Périphérique in Paris: Part I: Modelling. *Transportation Research A*, 24(5):345–359, 1990.

[112] M. Papageorgiou, J. M. Blosseville, and H. Hadj-Salem. Modelling and real-time control of traffic flow on the southern part of Boulevard Périphérique in Paris: Part II: Coordinated on-ramp metering. *Transportation Research A*, 24(5):361–370, 1990.

[113] M. Papageorgiou, J. M. Blosseville, and H. Hadj-Salem. ALINEA: a local feedback control law for on-ramp metering. *Transportation Research Record*, (1320):58–64, 1991.

[114] M. Papageorgiou, C. Diakaki, V. Dianapoulo, A. Kotsialos, and Y. Wang. Review of Road Traffic Control Strategies. *Proceedigns of the IEEE*, 91(12):2043–2067, 2003.

[115] M. Papageorgiou, H. Hadj-Salem, and F. Middelham. ALINEA local ramp metering – summary of field result. *Transportation Research Record*, (1603):90–98, 1998.

[116] M. Papageorgiou and G. Vigos. Relating time-occupancy measurements to space-occupancy and link vehicle-count. *Transportation Research Part C*, 16(1):1–17, 2008.

[117] H. J. Payne. Models of freeway traffic and control. In G.A. Bekey, editor, *Simulation Council Proceedings Series: Mathematical models of public systems*, volume 1, pages 51–61, 1971.

[118] L. J. Pignataro. *Traffic Engineering – Theory and Practice*. Prentice Hall, Englewood Cliffs, New Jersey, 1973.

[119] L. A. Pipes. An operational analysis of traffic dynamics. *Journal of Applied Physics*, 24:274–281, 1953.

[120] J. Polgár, T. Tettamanti, and I. Varga. Autóbusz előnybiztosító logika megvalósítása forgalomfüggő irányítású csomópontban. *Városi Közlekedés*, 3, 2011.

[121] Negenborn R. R., De Schutter B., and Hellendoorn J. Multi-agent model predictive control: A survey. Technical Report 04-010, Delft Center for Systems and Control, Delft University of Technology, Delft, The Netherlands, December 2004.

[122] V. C. Rao and J. B. Rawlings. Constrained process monitoring: Moving-horizon approach. *AIChE journal*, 48:97–109, 2002.

[123] J. B. Rawlings and D. Q. Mayne. *Model Predictive Control: Theory and Design*. Nob Hill Publishing, Madison (WI), USA, 2009.

[124] A. Reuschel. Fahrzeugbewegungen in der kolonne. *Oesterr. Ingr. Arch*, pages 193–215, 1950.

[125] P. J. Richards. Shock waves on the highway. *Operations Research*, 4(1):42–51, 1956.

[126] D. I. Robertson. TRANSYT method for area traffic control. *Traffic Eng. Control*, 10:267–281, 1969.

[127] R. T. Rockafellar. *Convex analysis*. Princeton University Press, 1970.

[128] Siemens. *TASS Traffic-Actuated Signal Plan Selection in MIGRA Central. Planning Manual.* Germany, 2nd edition, 2000. Reference Number V24713-Z1991-B2.

[129] F. Snickars and W. Weibull, J. A minimum information principle : Theory and practice. *Regional Science and Urban Economics*, 7(1-2):137 – 168, 1977.

[130] H. Spiess. A maximum likelihood model for estimating origin-destination matrices. b 21, 395-412. *Transportation Research*, 21:395–412, 1987.

[131] C. Stamatiadis and N. H. Gartner. MULTIBAND-96: A program for variable bandwidth progression optimization of multiarterial traffic networks. *Transportation Research Record*, 1554:9–17, 1996.

[132] G. Szász. *Matematika I.-II.* Tankönyvkiadó, Budapest, 1992.

[133] M. W. Szeto and D. C. Gazis. Application of kalman filtering to the survaillance and control of traffic systems. *Transportation Science*, 6:419–439, 1972.

[134] T. Tettamanti, T. Luspay, and I. Varga. Közúti közlekedési automatika, 2007.

[135] T. Tettamanti, I. Varga, B. Kulcsár, and J. Bokor. Model predictive control in urban traffic network management. In *16th Mediterranean Conference on Control and Automation*, pages 1538–1543, Ajaccio, Corsica, France, 2008. CD ISBN: 978 1 4244 2505 1.

[136] Magyar Útügyi Társaság. A jelzőlámpás forgalomirányítás tervezése, telepítése és üzemeltetése, 2003.

[137] Y. A. Thomas. Linear quadratic optimal estimation and control with receding horizon. *Electronics Letters*, 11:19–21, 1975.

[138] J. H. Van Zuylen and L. G. Willumsen. The most likely trip matrix estimated from traffic counts. *Transportation Research*, 14:281–293, 1980.

[139] P. Varaiya. Reducing highway congestion: an empirical approach. *European Journal of Control*, 11:301–309, 2005.

[140] I. Varga. *Közúti folyamatok paramétereinek modell alapú becslése és forgalomfüggő irányítása*. PhD thesis, Budapesti Műszaki és Gazdaságtudományi Egyetem, 2006.

[141] I. Varga and J. Bokor. New approach in urban traffic control systems. *Periodica Polytechnica ser. Transp. Eng., Budapest*, 35(1-2):3–13, 2007.

[142] I. Varga, B. Kulcsár, and J. Bokor. Constrained split rate estimation by moving horizon. In *16th IFAC World Congress Prague, Czech Republic*, 2004.

[143] G. Vigos, M. Papageorgiou, and Y. Wang. Real-time estimation of vehicle-count within signalized links. *Transportation Research Part C: Emerging Technologies*, 16(1):18 – 35, 2008.

[144] R. A. Vincent and C. P. Young. Self-optimizing traffic signal control using microprocessor: The TRRL MOVA strategy for isolated intersections. *Traffic Engineering and Control*, 27:358–387, 1986.

[145] B. Vizvári. *Egészértékű programozás*. Typotex, Budapest, 2006. ISBN 963 9664 29 4.

[146] H. M. Wagner. *Principles of Operation Research*. Prentice-Hall, Englewood Cliffs, NJ, 2nd edition, 1977.

[147] Y. Wang, P. Coppola, A. Tzimitsi, A. Messmer, M. Papageorgiou, and A. Nuzzolo. Real-time freeway network traffic surveillance: Large-scale field-testing results in southern italy. *IEEE Transactions on Intelligent Transportation Systems*, 2011(2):548–562, June 12.

[148] Y. Wang and M. Papageorgiou. Real-time freeway traffic state estimation based on extended Kalman filter: a general approach. *Transportation Research Part B*, 39:141–167, 2005.

[149] Y. Wang, M. Papageorgiou, and A. Messmer. Real-time freeway traffic state estimation based on extended kalman filter: Adaptive capabilities and real data testing. *Transportation Research Part A*, 42:1340–1358, 2008.

[150] J. G. Wardrop. Some theoretical aspects of road traffic research. In *Proceedings, Institute of Civil Engineers*, volume 1, pages 325–378, 1953.

[151] J. G. Wardrop and G. Charlesworth. A method of estimating speed and flow of traffic from a moving vehicle. In *Proceedings, Institute of Civil Engineers*, volume 3, pages 158–171, 1954.

[152] J. A. Wattleworth. Peak-period analysis and control of freeway system. *Highway Research Record*, (157):1–21, 1965.

[153] F. V. Webster. Traffic signal settings. Road Research Technical Paper 39, Department of Scientific and Industrial Research, H.M. Stationery Office, London, U.K., 1956.

[154] G. B. Whitham. *Linear and Nonlinear Waves*. John Wiley, N.Y., 1974.

[155] H. Zackor. Self-sufficient control of speed on freeways. In *International Symposium on Traffic Control Systems*, volume 2A, pages 226–249, Berkeley, California, Aug. 1979.

[156] H. M. Zhang. A mathematical theory of traffic hysteresis. *Transportation Research B*, 33:1–23, 1999.

[157] H. M. Zhang. A finite difference approximation of a non-equilibrium traffic flow model. *Transportation Research Part B*, 35:337–365, 2001.

[158] W. Zhang and H. Rakha. Estimating traffic stream space-mean speed and reliability from dual and single loop detectors. *Transportation Research Record*, pages 38–47, 2005.

[159] X. Zhang and D. F. Jarrett. Stability analysis of the classical car-following model. *Transportation Research Part B*, 31(6):441–462, 1997.

[160] N. J. van der Zijpp. Dynamic origin-destination matrix estimation from traffic counts and automated vehicle identification data. *Transportation Research Record*, 1607:87–94, 1997.