

## 13. fejezet

### Irodalom II

Először soroljuk azokat a tankönyveket ill. monográfiákat I.-ból, amelyeket most is érdemes konzultálni.

*N.Sz. Bahvalov*, A gépi matematika numerikus módszerei. Analízis, algebra, optimizálás, közönséges differenciálegyenletek. Műszaki Könyvkiadó, Budapest 1977 (ford. oroszból).

*M. Fiedler*, Speciális mátrixok és használatuk a numerikus matematikában. SNTL, Prága 1981 (csehül).

*G.E. Forsythe, M.A. Malcolm, C.B. Moler*, Computer Methods for Mathematical Computations. Prentice-Hall, Englewood Cliffs 1977.

*P. Henrici*, Discrete Variable Methods. Wiley, New York 1962.

*P. Lancaster*, Theory of Matrices. Academic Press, New York 1969.

*G. Maeß*, Vorlesungen über numerische Mathematik II. Akademie-Verlag, Berlin 1984, 1989.

*J.M. Ortega, W.C. Rheinboldt*, Iterative Solution of Nonlinear Equations in Several Variables. Academic Press, New York 1970.

*Rózsa P.*, Lineáris algebra és alkalmazásai. 6. kiadás. Tankönyvkiadó, Budapest 1991.

*A.A. Samarskij*, Theorie der Differenzenverfahren. Teubner-Verlag, Leipzig 1984.

*J. Stoer, R. Bulirsch*, Introduction to Numerical Analysis. Springer, Berlin 1980.

*A.A. Szamarszkij, E.Sz. Nyikolaev*, Diszkretizált egyenletek numerikus megoldása. Nauka, Moszkva 1978 (oroszul).

Most következnek a speciálisan ezen kötet anyagának mélyebb tanulmányozásához hasznos könyvek és dolgozatok.

*A.A. Abramov*, Lineáris közönséges differenciálegyenletekből álló rendszerek peremfeltételeinek átviteléről (a faktorizációs módszernek egy változata). *Zs. Vücsiszl. Matem. i Matem. Fiz.* 1, 3 (1961), 542–545 (oroszul).

*A.A. Abramov, K. Balla, N.B. Konjuhova*, Közönséges differenciálegyenletekből álló rendszerek stabil kezdeti sokaságai és szinguláris peremérték feladatai. Computational Mathematics. Banach Center Publ. 13, PWN, Varsó 1984 (oroszul).

*R.A. Adams, J.J.F. Fournier*, Sobolev Spaces. Elsevier, Amsterdam 2003.

*R. Alexander*, Diagonally implicit Runge–Kutta methods for stiff ODE's. *SIAM J. Numer. Anal.* 14 (1977), 1006–1021.

*V.B. Andreev, N.V. Kopteva*, On the convergence, uniform with respect to a small parameter, of monotone three-point finite-difference approximations. *Differ. Equations* 34, 7 (1998), 921–929; translation from *Differ. Uravn.* 34, 7 (1998), 921–928.

*V.I. Arnold*, Ordinary Differential Equations. (Translated from the Russian edition, Nauka, Moscow 1984) 2nd. printing, Springer: Universitext, Berlin 1992.

*U.M. Ascher, R.M. Mattheij, R.D. Russel*, Numerical Solution of Boundary Value Problems for Ordinary Differential Equations. Prentice–Hall, Englewood Cliffs 1988.

*J.P. Aubin*, Behavior of the error of the approximate solutions of boundary value problems for linear elliptic operators by Galerkin's and finite difference methods. *Ann. Scuola Norm. Sup. Pisa* 21 (1967), 599–637.

*O. Axelsson*, A class of A-stable methods. *BIT* 9 (1969), 185–199.

*O. Axelsson, V.A. Barker*, Finite Element Solution of Boundary Value Problems : Theory and Computation. Academic Press, N.Y. 1984.

*N.Sz. Bahvalov, N.P. Zsidkov, G.M. Kobel'kov*, Numerikus Módszerek. Nauka, Moszkva 1987 (oroszul).

*E.K. Blum*, A modification of the Runge–Kutta fourth order method. *Math. Comput.* 16 (1962), 176–187.

*E. Bohl*, Finite Modelle gewöhnlicher Randwertaufgaben. Teubner, Stuttgart 1981.

*C. Bolley, M. Crouzeix*, Conservation de la positivité lors de la discréétisation des problèmes d'évolution paraboliques. *RAIRO Analyse Numérique* 12, 3 (1978), 237–245.

*M. Braun*, Differentialgleichungen und ihre Anwendungen, 2. Aufl. Springer, Berlin 1991.

*P.N. Brown, G.D. Byrne, A.C. Hindmarsh*, VODE: A variable coefficient ODE solver. SIAM J. Sci. Stat. Comp. 10 (1989), 1038–1051.

*K. Burrage, J.C. Butcher*, Stability for implicit Runge–Kutta methods. SIAM J. Numer. Anal. 16, 1 (1979), 46–57.

*J.C. Butcher*, Numerical Methods for Ordinary Differential Equations. 2nd. revised ed. John Wiley & Sons, Hoboken 2008.

*J.C. Butcher*, Order and stability of generalized Padé approximations. Appl. Numer. Math. 59, 3-4 (2009), 558–567.

*S.L. Campbell, V.H. Linh, L.R. Petzold*. Differential-algebraic Equations. Scholarpedia, 3(8) (2008): 2849. doi:10.4249/scholarpedia.2849

*P.G. Ciarlet, M.H. Schultz, R.S. Varga*, Numerical methods of high-order accuracy for nonlinear boundary value problems. I: One dimensional problems. Numer. Math. 9 (1967), 394–430.

*P.G. Ciarlet*, The finite element method for elliptic problems. Amsterdam, North–Holland 1978. (Újabb kiadás: Classics in Applied Mathematics 40, SIAM, Philadelphia 2002.)

*M. Condon, A. Deaño, A. Iserles*, On second-order differential equations with highly oscillatory forcing terms. Proc. R. Soc. Lond., Ser. A, Math. Phys. Eng. Sci. 466, 2118 (2010), 1809–1828.

*S.P. Corwin, S. Thompson*, Error estimation and step size control for delay differential equation solvers based on continuously embedded Runge–Kutta–Sarafyan methods. Comput. Math. Appl. 31, 6 (1996), 1–11.

*M. Crouzeix*, Sur la  $B$ -stabilité des méthodes de Runge–Kutta. Numer. Math. 32 (1979), 75–82.

*C.F. Curtiss, J.O. Hirschfelder*, Integration of stiff equations. Proc. Nat. Acad. Sci. 38 (1952), 235–243.

*G. Dahlquist*, Convergence and stability in the numerical integration of ordinary differential equations. Math. Scand. 4 (1956), 33–53.

*G. Dahlquist*, A special stability problem for linear multistep methods. BIT 3, 1 (1963), 27–43.

*G. Dahlquist, R. Jeltsch*, Reducibility and contractivity of Runge–Kutta methods revisited. BIT 46, 3 (2006), 567–587.

*K. Dekker, J.G. Verwer*, Stability of Runge–Kutta Methods for Stiff Nonlinear Differentail Equations. North Holland, Amsterdam 1984.

*J.L.M. van Dorsselaer, J.F.B.M. Kraaijevanger, M.N. Spijker*, Linear stability analysis in the numerical solution of initial value problems. *Acta Numerica* (1993), 199–237.

*T. Dupont, R. Scott*, Polynomial approximation of functions in Sobolev spaces. *Math. Comp.* 34 (1980), 441–463.

*B.L. Ehle*, High-order A-stable methods for the numerical solution of systems of differential equations. *BIT* 8 (1968), 276–278.

*B. Engquist et al. (eds.)*, Highly oscillatory problems. Cambridge University Press. London Mathematical Society, Lecture Note Series 366 (2009).

*Q.H. Enright, T.E. Hull, B. Lindberg*, Comparing numerical methods for stiff systems of ordinary differential equations. *BIT* 45 (1975), 10–48.

*Q.H. Enright, T.E. Hull*, Test results on initial value methods for non-stiff ordinary differential equations. *SIAM J. Numer. Analysis.* 13 (1976), 944–961.

*W.H. Enright, L. Yan*, The reliability/cost trade-off for a class of ODE solvers. *Numer. Algorithms* 53, 2-3 (2010), 239–260.

*M. Farkas*, Dynamical Models in Biology. Academic Press, San Diego 2001.

*C. Fredebeul, D. Kornmaier, M.W. Müller*, Multiple order double output Runge-Kutta Fehlberg formulae: Strategies for efficient application. *J. Comput. Appl. Math.* 144, 1-2 (2002), 187–196.

*D.A. French, J.W. Schaeffer*, Continuous finite element methods which preserve energy properties for nonlinear problems. *Appl. Math. & Comp.* 39 (1990), 271–295.

*C.W. Gear*, Numerical Solution of Initial Value Problems in Ordinary Differential Equations. Prentice Hall, Englewood Cliffs, 1971.

*C.W. Gear*, Runge–Kutta starters for multistep methods. *ACM TOMS* 6, 3 (1980), 263–279.

*C.W. Gear, L.R. Petzold*, Ode methods for the solution of differential-algebraic equations. *SIAM J. Numer. Anal.*, 21 (1984), 716–728.

*C.W. Gear*, Maintaining solution invariants in the numerical solution of ordinary differential equations. *SIAM J. Sci. Stat. Comp.* 7, 3 (1986), 734–743.

*I. Gladwell, L.F. Shampine, L.S. Baca, R.W. Brankin*, Practical aspects of interpolation in Runge–Kutta codes. *SIAM J. Sci. Stat. Comp.* 8, 3 (1987), 322–341.

*Sz.K. Godunov*, Differencia-egyenletek rendszereinek megoldása ortogonális faktorizációs módszer segítségével. Zs. Vücsiszl. Matem. i Matem. Fiz. 2, 6 (1962), 972–982 (oroszul).

*Sz.K. Godunov, V.Sz. Rjabenyki*, Diferenciasémák. Nauka, Moszkva 1977 (oroszul).

*S. Gottlieb, C.-W. Shu, E. Tadmor*, Strong stability-preserving high-order time discretization methods. SIAM Rev. 43, 1 (2001), 89–112.

*S. Gottlieb, D. Ketcheson, C.-W. Shu*, Strong stability-preserving time discretization methods. World Scientific Book, Singapore 2011.

*B.A. Gottwald, G. Wanner*, A reliable Rosenbrock integrator for stiff differential equations. Computing 26 (1981), 355–360.

*Ch. Großmann, H.-G. Roos*, Numerik partieller Differentialgleichungen. 3. Aufl., Vieweg & Teubner, Stuttgart 2006.

*K. Gustavsson, M. Lundh, G. Söderlind*, A PI stepsize control for the numerical solution of ordinary differential equations. BIT 28 (1988), 270–287.

*W. Hackbusch*, Theorie und Numerik elliptischer Differentialgleichungen. Teubner, Stuttgart 1986.

*E. Hairer, C. Lubich, M. Roche*, The Numerical Solution of Differential-Algebraic Systems by Runge–Kutta Methods. Lecture Notes in Mathematics 1409. Springer, Berlin 1989.

*E. Hairer, C. Lubich, G. Wanner*, Geometric Numerical Integration. Structure-preserving algorithms for ordinary differential equations. 2nd. ed. Springer Series in Comput. Math. 31. Springer, Berlin 2006.

*E. Hairer, S.P. Nørsett, G. Wanner*, Solving Ordinary Differential Equations, I. Nonstiff Problems. Springer, Berlin 1987, 2nd. edn. 1993.

*E. Hairer, G. Wanner*, Solving Ordinary Differential Equations, II. Stiff and Differential-Algebraic Problems. Springer, Berlin 1991. Reprint of the 1996 2nd. revised ed.: Berlin 2010.

*Hegedűs Cs.*, szóbeli közlés 1998. Található: (5.3) képlet, Numerikus analízis jegyzet. ELTE Budapest 2008.

<http://numanal.inf.elte.hu/~hegedus/na1.pdf>

*P. Henrici*, Discrete Variable Methods in Ordinary Differential Equations. J. Wiley, N.Y. 1962.

*D.J. Higham, L.N. Trefethen*, Stiffness of ODEs. BIT 33, 2 (1993), 285–303.

*Horváth Z.*, On a second order non-negativity conserving method. Ann. Univ. Sci. Budapest, Sect. Comp. 13 (1992), 237–241.

*Horváth Z.*, Consistency and stability for some nonnegativity-conserving methods. APNUM 13 (1993), 371–381.

*Horváth Z.*, Positivity of Runge-Kutta and diagonally split Runge-Kutta methods. APNUM 28, 2-4 (1998), 309–326.

*T.E. Hull, Q.H. Enright, B.M. Fellen, A.E. Sedgwick*, Comparing numerical methods for ordinary differential equations. SIAM J. Numer. Analysis. 9, 4 (1972), 603–637.

*W. Hundsdorfer, S.J. Ruuth*, IMEX extensions of linear multistep methods with general monotonicity and boundedness properties. J. Comput. Phys. 225, 2 (2007), 2016–2042.

*W. Hundsdorfer, A. Mozartova, M.N. Spijker*, Stepsize restrictions for boundedness and monotonicity of multistep methods. J. Sci. Comput. 50, 2 (2012), 265–286.

*A.M. Iljin*, A legnagyobb derivált előtti kis együtthatóval rendelkező differenciálegyenlet differenciasémája. Matem. Zam. 6, 2 (1969), 237–248 (oroszul).

*A. Iserles*, Nonlinear stability and asymptotics of o.d.e. solvers. In : Numerical Mathematics Singapore 1988 (R.P. Agarwal, Y.M. Chow, S.J. Wilson, eds.), Birkhäuser, Basel 1988, 225–236.

*A. Iserles*, On the method of Neumann series for highly oscillatory equations. BIT 44, 3 (2004), 473–488.

*A. Iserles*, On the numerical quadrature of highly-oscillating integrals. II: Irregular oscillators. IMA J. Numer. Anal. 25, 1 (2005), 25–44.

*A. Iserles, G. Strang*, The optimal accuracy of difference schemes. Trans. Amer. Math. Soc. 277, 2 (1983), 779–803.

*R. Jeltsch, O. Nevanlinna*, Largest disks of stability of explicit Runge–Kutta methods. BIT 18 (1978), 500–502.

*P. Kaps, S.W.H. Poon, T.D. Bui*, Rosenbrock methods for stiff ODEs: A comparison of Richardson extrapolation and embedding technique. Computing 34 (1985), 17–40.

*Karátson J.*, Numerikus Funkcionálanalízis. Jegyzet, ELTE, Budapest 2010.

*C.A. Kennedy, M.H. Carpenter, R.M. Lewis*, Low-storage, explicit Runge–Kutta schemes for the compressible Navier–Stokes equations. Appl. Numer. Math. 35, 3 (2000), 177–219.

*N.P. Kornyeicsuk*, Egzakt állandók az approximációs elméletben. Nauka, M. 1987 (oroszul).

*V.G. Kornyejew*, Az egzakt differencia approximációkról. Zs. Vücsiszl. Mat. i Mat. Fiz. 22, 3 (1982), 646–654 (oroszul).

*F.T. Krogh*, Changing stepsize in the integration of differential equations using modified divided differences. Lecture Notes in Mathematics 362 (1974), 22–71.

*M. Kubíček, V. Hlavaček*, Numerical Solution of Nonlinear Boundary Value Problems with Applications. Prentice-Hall, Englewood Cliffs 1983.

*M. Kubíček, M. Marek*, Computational Methods in Bifurcation Theory and Dissipative Structures. Springer, N.Y. 1983.

*P. Kunkel, V. Mehrmann*, Differential-algebraic Equations. Analysis and Numerical Solution. European Math. Soc. Publishing House, Zürich 2006.

*J.D. Lambert*, Numerical Methods for Ordinary Differential Systems. Wiley, Chichester 1991.

*H.W.J. Lenferink*, Contractivity-preserving implicit linear multistep methods. Math. Comp. 56, 193 (1991), 177–199.

*J.D. Logan, W.R. Wolesensky*, Mathematical Methods in Biology. John Wiley & Sons., Hoboken 2009.

*C. Mac Donald, W.H. Enright*, Implications of order reduction for implicit Runge-Kutta methods. Numer. Algorithms 2 (1992), 351–370.

*G.I. Marcsuk, V.I. Agoskov*, Bevezetés a projekciós módszerekbe. Nauka, Moszkva 1981 (oroszul).

*Matolcsi T.*, Analízis VII., Differenciálegyenletek. Jegyzet, ELTE, Budapest 1995.

*R.M.M. Mattheij*, Decoupling and stability of BVP algorithms. SIAM Review 27 (1985), 1–44.

*R.M.M. Mattheij*, On the computation of solutions of boundary value problems on infinite intervals. Math. Comp. 48, 178 (1987), 533–550.

*U. Miekkala, O. Nevanlinna*, Iterative solution of systems of linear differential equations. Acta Numerica 5 (1996), 259–307.

*O. Nevanlinna, W. Liniger*, Contractive methods for stiff differential equations. BIT 18 (1978), 457–474; BIT 19 (1979), 53–72.

*B.T. Nguyen, P.W. Sharp, R. Vaillancourt*, Hermite-Birkhoff-Obrechkoff four-stage four-step ODE solver of order 14 with quantized step size. J. Comput. Appl. Math. 222, 2 (2008), 608–621.

*J. Nitsche*, Ein Kriterium für die Quasi-Optimalität des Ritzschen Verfahrens. Numer. Math. 11 (1968), 346–348.

*A. Nordsieck*, Numerical integration of ordinary differential equations. Math. Comp. 16 (1962), 22–49.

*L.A. Oganesjan, V. J. Rivkind, L.A. Ruhovec*, Elliptikus egyenletek variációs véges differencia módszerei. Differencialegyenletek és alkalmazásai, 5, 8, Vilniusz 1973, 1974 (oroszul).

*M.R. Osborne*, On Nordsieck's method for the numerical solution of ordinary differential equations. BIT 6 (1966), 52–57.

*B. Owen, M. Zennaro*, Order barriers for continuous explicit Runge–Kutta methods. Math. Comp. 56, 194 (1991), 645–661.

*B.C. Parijszkij*, Különböző faktorizációs módszerek tárigényét, ill. számítási idejét csökkentő fogásokról. Zs. Vücsiszl. Matem. i Matem. Fiz., 20,1 (1980), 69–70 (oroszul).

*S.V. Patankar*, Numerical Heat Transfer and Fluid Flow. Hemisphere Publ., Washington 1980.

*L.R. Petzold, O.J. Laurent, J. Yen*, Numerical solution of highly oscillatory ordinary differential equations. Acta Numerica 6 (1997), 437–483.

*P.J. Prince, J.R. Dormand*, High order embedded Runge–Kutta formulae. J. Comp. Appl. Math. 7, 1 (1981), 67–75.

*T. Rauber, G. Rünger*, Parallel Programming for Multicore and Cluster Systems. Ext. English transl. of the 2007 2nd. German ed. Springer, Berlin 2010.

*M. Roche*, Rosenbrock methods for differential-algebraic equations. Numer. Math. 52 (1988), 45–63.

*H-G. Roos, M. Stynes, L. Tobiska*, Robust Numerical Methods for Singularly Perturbed Differential Equations. 2nd. ed. Springer-Verlag, Berlin 2008.

*H.H. Rosenbrock*, Some general implicit processes for the numerical solution of differential equations. Computer J. 5 (1962-63), 329–330.

*H.H. Rosenbrock, C. Storey*, Computational Techniques for Chemical Engineers. Pergamon Press, N.Y. 1966.

*D. Sarafyan, C. Outlaw, L. Derr*, An investigation of Runge–Kutta processes, and equivalence of scalar and vector cases. J. Math. Anal. & Appls. 104, 2 (1984), 568–588.

*C. Schneider*, Rosenbrock-type methods adapted to differential-algebraic systems. Math. Comp. 56, 193 (1991), 201–213.

*S. Scholz*, Order barriers for the B-convergence of ROW methods. Computing 41 (1989), 219–235.

*M.H. Schultz, R.S. Varga*, L-splines. Numer. Math. 10 (1967), 345–369.

*R. Seydel*, From Equilibrium to Chaos; Practical Bifurcation and Stability. Elsevier, N.Y. 1988.

*L.F. Shampine*, Implementation of Rosenbrock methods. ACM TOMS 8, 2 (1982), 93–113.

*L.F. Shampine*, The step sizes used by one-step codes for ode's. Appl. Numer. Maths. 1 (1985), 95–106.

*L.F. Shampine*, Conservation laws and the numerical solution of ODEs. Comp. & Maths. with Appl. 12B, 5/6 (1986), 1287–1296.

*L.F. Shampine*, Conservation laws and the numerical solution of ODEs. II. Comput. Math. Appl., 38, 2 (1999), 61–72.

*L.F. Shampine, H.A. Watts*, Global error estimation for ordinary differential equations. ACM TOMS 2, 2 (1976), 172–186.

*L.F. Shampine, H.A. Watts*, Stiffness and nonstiff differential equation solvers II : Detecting stiffness with Runge–Kutta methods. ACM TOMS 3, 1 (1976), 44–53.

*C.-W. Shu, S. Osher*, Efficient implementation of essentially non-oscillatory shock-capturing schemes. J. Comput. Phys. 77 (1988), 439–471.

*C.-W. Shu*, Total-variation diminishing time discretizations. SIAM J. Sci. Stat. Comput. 9 (1988), 1073–1084.

*Simon L., Baderko E.A.*, Lineáris másodrendű differenciálegyenletek. Tankönyvkiadó, Budapest 1983.

*P.D. Sirkov*, Merev differenciálegyenletekből álló rendszerek megoldását szolgáló monoton sémák pontosságáról. Zs. Vücsiszl. Matem. i Matem. Fiz. 24, 10 (1984), 1577–1581 (oroszul).

*R.D. Skeel*, Thirteen ways to estimate global error. Numer. Math. 48 (1986), 1–20.

*M.N. Spijker*, Stability and convergence of finite-difference methods. Thesis, Leiden 1968.

*M.N. Spijker*, On the possibility of two-sided error bounds in the numerical solution of initial value problems. Numer. Math. 26 (1976), 271–300.

*M.N. Spijker*, Contractivity in the numerical solution of initial value problems. Numer. Math. 42 (1983), 271–290.

*M.N. Spijker*, Stepsize conditions for general monotonicity in numerical initial value problems. SIAM J. Numer. Anal. 45, 3 (2007), 1226–1245.

*H.J. Stetter*, Analysis of Discretization Methods for Ordinary Differential Equations. Springer, Berlin 1973 (orosz ford. Mir, Moszkva 1978).

*H.J. Stetter*, Global error estimation in ODE-solvers. Lecture Notes 630, Springer, Berlin 1978, 179–189.

*G. Stoyan*, Explicit error estimates for difference schemes solving the stationary constant coefficient diffusion-convection-reaction equations. ZAMM 64 (1984), 173–191.

*A.A. Szamarszkij*, Nemönadjungált elliptikus operátorral rendelkező elliptikus és parabolikus differenciálegyenletek monoton differenciasémái. Zs. Vücsiszl. Matem. i Matem. Fiz. 5, 3 (1965), 548–551 (oroszul).

*A.A. Szamarszkij, A.V. Gulin*, Differenciasémák stabilitása. Nauka, M. 1973 (oroszul).

*A.A. Szamarszkij, V.B. Andrejev*, Differencia módszerek elliptikus egyenletek megoldására. Nauka, Moszkva 1976 (oroszul).

*S. Timoshenko, S. Woinowski-Krieger*, Theory of Plates and Shells, 2nd. ed. McGraw-Hill, New York 1959.

*F. Vadillo*, On spurious fixed points of Runge–Kutta methods. J. Comput. Phys. 132, 1 (1997), 78–90.

*G. Vainikko*, Funktionalanalysis der Diskretisierungsmethoden. Teubner-Verlag, Leipzig 1976.

*G. Vainikko*, Approximative methods for nonlinear equations. Nonlinear Analysis, Theory, Methods & Applications 2, 6 (1978), 647–687.

*R.S. Varga*, Functional Analysis and Approximation Theory in Numerical Analysis. SIAM, Philadelphia 1971. (Orosz fordítás: Mir 1974).

*J.G. Verwer*, Convergence and order reduction of diagonally implicit Runge–Kutta schemes in the method of lines. In : Proceedings Dundee Conference (D.F. Griffith, G.A. Watson, eds.) Pitman, London 1986, 220–237.

*H. Werner, H. Arndt*, Gewöhnliche Differentialgleichungen. Eine Einführung in Theorie und Praxis. Springer, Berlin 1986.

*J.H. Williamson*, Low storage Runge–Kutta schemes. J. Comput. Phys. 35 (1980), 48–56.